

## Linear Scale DATASET-01

| AUC0→t    |    |        |        |         |         |
|-----------|----|--------|--------|---------|---------|
|           | df | SS     | MS     | F-value | p-value |
| Period    | 0  | 0.0000 | 0.0000 | 0.0009  | 0.0000  |
| Subj(Seq) | 0  | 0.0000 | 0.0000 | 0.0023  | 0.0000  |
| Treatment | 0  | 0.0000 | 0.0000 | -0.0024 | 0.0000  |
| Carryover | 0  | 0.0000 | 0.0000 | -0.0045 | 0.0000  |
| Error     | 0  | 0.0000 | 0.0000 |         |         |
| Total     | 0  | 0.0001 |        |         |         |

| AUC0→∞    |    |         |        |         |         |
|-----------|----|---------|--------|---------|---------|
|           | df | SS      | MS     | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000 | -0.0043 | 0.0000  |
| Subj(Seq) | 0  | 0.0000  | 0.0000 | -0.0003 | 0.0000  |
| Treatment | 0  | 0.0000  | 0.0000 | 0.0050  | 0.0000  |
| Carryover | 0  | 0.0000  | 0.0000 | -0.0044 | 0.0000  |
| Error     | 0  | 0.0000  | 0.0000 |         |         |
| Total     | 0  | -0.0001 |        |         |         |

| Cmax      |    |        |        |         |         |
|-----------|----|--------|--------|---------|---------|
|           | df | SS     | MS     | F-value | p-value |
| Period    | 0  | 0.0000 | 0.0000 | -0.0008 | 0.0000  |
| Subj(Seq) | 0  | 0.0000 | 0.0000 | 0.0033  | 0.0000  |
| Treatment | 0  | 0.0000 | 0.0000 | 0.0027  | 0.0000  |
| Carryover | 0  | 0.0000 | 0.0000 | -0.0006 | 0.0000  |
| Error     | 0  | 0.0000 | 0.0000 |         |         |
| Total     | 0  | 0.0001 |        |         |         |

| Tmax      |    |        |        |         |         |
|-----------|----|--------|--------|---------|---------|
|           | df | SS     | MS     | F-value | p-value |
| Period    | 0  | 0.0000 | 0.0000 | -0.0023 | 0.0000  |
| Subj(Seq) | 0  | 0.0000 | 0.0000 | -0.0020 | 0.0000  |
| Treatment | 0  | 0.0000 | 0.0000 | 0.0018  | 0.0000  |
| Carryover | 0  | 0.0000 | 0.0000 | 0.0042  | 0.0000  |
| Error     | 0  | 0.0000 | 0.0000 |         |         |
| Total     | 0  | 0.0001 |        |         |         |

| t0.5      |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0201  | 0.0201  | 0.8572  | -0.5708 |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.0026 | 0.0000  |
| Treatment | 0  | -0.0201 | -0.0201 | -0.8627 | 0.5708  |
| Carryover | 0  | 0.0000  | 0.0000  | -0.9488 | 0.7157  |
| Error     | 0  | 0.0000  | 0.0000  |         |         |
| Total     | 0  | -0.0001 |         |         |         |

| MRT0→∞    |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0649  | 0.0649  | 0.8707  | -0.2407 |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.0041 | 0.0000  |
| Treatment | 0  | -0.0649 | -0.0649 | -0.8696 | 0.2407  |
| Carryover | 0  | 0.0000  | 0.0000  | -0.0040 | 0.0000  |
| Error     | 0  | 0.0000  | 0.0000  |         |         |
| Total     | 0  | 0.0000  |         |         |         |

## DATASET-02

| AUC0→t    |    |        |        |
|-----------|----|--------|--------|
|           | df | SS     | MS     |
| Period    | 0  | 0.0000 | 0.0000 |
| Subj(Seq) | 0  | 0.0000 | 0.0000 |
| Treatment | 0  | 0.0000 | 0.0000 |
| Carryover | 0  | 0.0000 | 0.0000 |
| Error     | 0  | 0.0000 | 0.0000 |
| Total     | 0  | 0.0001 |        |

| AUC0→∞    |    |        |        |
|-----------|----|--------|--------|
|           | df | SS     | MS     |
| Period    | 0  | 0.0000 | 0.0000 |
| Subj(Seq) | 0  | 0.0000 | 0.0000 |
| Treatment | 0  | 0.0000 | 0.0000 |
| Carryover | 0  | 0.0000 | 0.0000 |
| Error     | 0  | 0.0000 | 0.0000 |
| Total     | 0  | 0.0000 |        |

| Cmax      |    |        |        |
|-----------|----|--------|--------|
|           | df | SS     | MS     |
| Period    | 0  | 0.0000 | 0.0000 |
| Subj(Seq) | 0  | 0.0000 | 0.0000 |
| Treatment | 0  | 0.0000 | 0.0000 |
| Carryover | 0  | 0.0000 | 0.0000 |
| Error     | 0  | 0.0000 | 0.0000 |
| Total     | 0  | 0.0001 |        |

| Tmax      |    |        |        |
|-----------|----|--------|--------|
|           | df | SS     | MS     |
| Period    | 0  | 0.0000 | 0.0000 |
| Subj(Seq) | 0  | 0.0000 | 0.0000 |
| Treatment | 0  | 0.0000 | 0.0000 |
| Carryover | 0  | 0.0000 | 0.0000 |
| Error     | 0  | 0.0000 | 0.0000 |
| Total     | 0  | 0.0001 |        |

| t0.5      |    |         |         |
|-----------|----|---------|---------|
|           | df | SS      | MS      |
| Period    | 0  | 0.0201  | 0.0201  |
| Subj(Seq) | 0  | 0.0000  | 0.0000  |
| Treatment | 0  | -0.0201 | -0.0201 |
| Carryover | 0  | 0.0000  | 0.0000  |
| Error     | 0  | 0.0000  | 0.0000  |
| Total     | 0  | -0.0001 |         |

| MRT0→∞    |    |         |         |
|-----------|----|---------|---------|
|           | df | SS      | MS      |
| Period    | 0  | 0.0639  | 0.0639  |
| Subj(Seq) | 0  | -0.0057 | -0.0003 |
| Treatment | 0  | -0.0632 | -0.0632 |
| Carryover | 0  | -0.0021 | -0.0021 |
| Error     | 0  | 0.0000  | 0.0000  |
| Total     | 0  | -0.0071 |         |

## Log-Scale

## DATASET-01

| AUC0→t    |    |        |        |         |         |
|-----------|----|--------|--------|---------|---------|
|           | df | SS     | MS     | F-value | p-value |
| Period    | 0  | 0.0000 | 0.0000 | -0.0023 | 0.0000  |
| Subj(Seq) | 0  | 0.0000 | 0.0000 | -0.0013 | 0.0000  |
| Treatment | 0  | 0.0000 | 0.0000 | 0.0026  | 0.0000  |
| Carryover | 0  | 0.0000 | 0.0000 | 0.0035  | 0.0000  |
| Error     | 0  | 0.0000 | 0.0000 |         |         |
| Total     | 0  | 0.0001 |        |         |         |

| AUC0→∞    |    |        |        |         |         |
|-----------|----|--------|--------|---------|---------|
|           | df | SS     | MS     | F-value | p-value |
| Period    | 0  | 0.0000 | 0.0000 | -0.0041 | 0.0000  |
| Subj(Seq) | 0  | 0.0000 | 0.0000 | -0.0019 | 0.0000  |
| Treatment | 0  | 0.0000 | 0.0000 | 0.0048  | 0.0000  |
| Carryover | 0  | 0.0000 | 0.0000 | -0.0018 | 0.0000  |
| Error     | 0  | 0.0000 | 0.0000 |         |         |
| Total     | 0  | 0.0000 |        |         |         |

| Cmax      |    |         |        |         |         |
|-----------|----|---------|--------|---------|---------|
|           | df | SS      | MS     | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000 | 0.0034  | 0.0000  |
| Subj(Seq) | 0  | 0.0000  | 0.0000 | 0.0049  | 0.0000  |
| Treatment | 0  | 0.0000  | 0.0000 | -0.0018 | 0.0000  |
| Carryover | 0  | 0.0000  | 0.0000 | 0.0008  | 0.0000  |
| Error     | 0  | 0.0000  | 0.0000 |         |         |
| Total     | 0  | -0.0001 |        |         |         |

## DATASET-02

| AUC0→t    |    |        |        |
|-----------|----|--------|--------|
|           | df | SS     | MS     |
| Period    | 0  | 0.0000 | 0.0000 |
| Subj(Seq) | 0  | 0.0000 | 0.0000 |
| Treatment | 0  | 0.0000 | 0.0000 |
| Carryover | 0  | 0.0000 | 0.0000 |
| Error     | 0  | 0.0000 | 0.0000 |
| Total     | 0  | 0.0000 |        |

| AUC0→∞    |    |         |        |
|-----------|----|---------|--------|
|           | df | SS      | MS     |
| Period    | 0  | 0.0000  | 0.0000 |
| Subj(Seq) | 0  | 0.0000  | 0.0000 |
| Treatment | 0  | 0.0000  | 0.0000 |
| Carryover | 0  | 0.0000  | 0.0000 |
| Error     | 0  | 0.0000  | 0.0000 |
| Total     | 0  | -0.0001 |        |

| Cmax      |    |         |        |
|-----------|----|---------|--------|
|           | df | SS      | MS     |
| Period    | 0  | 0.0000  | 0.0000 |
| Subj(Seq) | 0  | 0.0000  | 0.0000 |
| Treatment | 0  | 0.0000  | 0.0000 |
| Carryover | 0  | 0.0000  | 0.0000 |
| Error     | 0  | 0.0000  | 0.0000 |
| Total     | 0  | -0.0001 |        |

## DATASET-03

| F-value | p-value |
|---------|---------|
| 0.0012  | 0.0000  |
| 0.0040  | 0.0000  |
| -0.0018 | 0.0000  |
| -0.0048 | 0.0000  |
|         |         |
|         |         |

| AUC0→t    |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000  | 0.0004  | 0.0000  |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | 0.0033  | 0.0000  |
| Treatment | 0  | 0.0023  | 0.0023  | 0.0047  | -0.0008 |
| Carryover | 0  | 0.0000  | 0.0000  | -0.0031 | 0.0000  |
| Error     | 0  | -0.0022 | -0.0001 |         |         |
| Total     | 0  | 0.0001  |         |         |         |

| F-value | p-value |
|---------|---------|
| -0.0042 | 0.0000  |
| 0.0015  | 0.0000  |
| -0.0043 | 0.0000  |
| -0.0048 | 0.0000  |
|         |         |
|         |         |

| AUC0→∞    |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000  | 0.0014  | 0.0000  |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.0013 | 0.0000  |
| Treatment | 0  | -0.0106 | -0.0106 | 0.0024  | 0.0033  |
| Carryover | 0  | 0.0000  | 0.0000  | -0.0045 | 0.0000  |
| Error     | 0  | 0.0106  | 0.0005  |         |         |
| Total     | 0  | 0.0001  |         |         |         |
|           |    |         |         |         |         |

| F-value | p-value |
|---------|---------|
| -0.0008 | 0.0000  |
| 0.0033  | 0.0000  |
| 0.0027  | 0.0000  |
| -0.0006 | 0.0000  |
|         |         |
|         |         |

| Cmax      |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000  | -0.5508 | 0.0005  |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.6763 | 0.0000  |
| Treatment | 0  | -1.3272 | -1.3272 | -1.0533 | 0.0920  |
| Carryover | 0  | 0.0000  | 0.0000  | 0.0033  | 0.0000  |
| Error     | 0  | 1.3272  | 0.0663  |         |         |
| Total     | 0  | 0.0001  |         |         |         |

| F-value | p-value |
|---------|---------|
| -0.0023 | 0.0000  |
| -0.0020 | 0.0000  |
| 0.0018  | 0.0000  |
| 0.0042  | 0.0000  |
|         |         |
|         |         |

| Tmax      |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000  | 0.0004  | 0.0001  |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.0013 | 0.0000  |
| Treatment | 0  | -0.0007 | -0.0007 | -0.0135 | 0.0080  |
| Carryover | 0  | 0.0000  | 0.0000  | 0.0035  | 0.0000  |
| Error     | 0  | 0.0007  | 0.0000  |         |         |
| Total     | 0  | 0.0000  |         |         |         |

| F-value | p-value |
|---------|---------|
| 0.8572  | -0.5708 |
| -0.0026 | 0.0000  |
| -0.8627 | 0.5708  |
| -0.9488 | 0.7157  |
|         |         |
|         |         |

| t0.5      |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000  | -0.0038 | 0.0002  |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.0072 | 0.0005  |
| Treatment | 0  | -0.0007 | -0.0007 | -0.0349 | 0.0323  |
| Carryover | 0  | 0.0000  | 0.0000  | -2.2841 | 2.2350  |
| Error     | 0  | 0.0008  | 0.0000  |         |         |
| Total     | 0  | 0.0001  |         |         |         |

| F-value | p-value |
|---------|---------|
| 0.8607  | -0.2346 |
| -0.0041 | 0.0000  |
| -0.8496 | 0.2367  |
| -0.0040 | 0.0028  |
|         |         |
|         |         |

| MRT0→∞    |    |         |         |         |         |
|-----------|----|---------|---------|---------|---------|
|           | df | SS      | MS      | F-value | p-value |
| Period    | 0  | 0.0000  | 0.0000  | -0.0032 | 0.0018  |
| Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.0312 | 0.0001  |
| Treatment | 0  | -0.0114 | -0.0114 | -0.1517 | 0.0505  |
| Carryover | 0  | 0.0000  | 0.0000  | 0.0032  | 0.0000  |
| Error     | 0  | 0.0115  | 0.0006  |         |         |
| Total     | 0  | 0.0000  |         |         |         |

DATASET-03

|         |         | AUC0→t    |    |        |        |         |         |
|---------|---------|-----------|----|--------|--------|---------|---------|
| F-value | p-value |           | df | SS     | MS     | F-value | p-value |
| -0.0017 | 0.0000  | Period    | 0  | 0.0000 | 0.0000 | 0.0014  | 0.0000  |
| 0.0006  | 0.0000  | Subj(Seq) | 0  | 0.0000 | 0.0000 | 0.0027  | 0.0000  |
| 0.0028  | 0.0000  | Treatment | 0  | 0.0000 | 0.0000 | -0.0011 | -0.0021 |
| 0.0030  | 0.0000  | Carryover | 0  | 0.0000 | 0.0000 | -0.0008 | 0.0000  |
|         |         | Error     | 0  | 0.0000 | 0.0000 |         |         |
|         |         | Total     | 0  | 0.0001 |        |         |         |

|         |         | AUC0→∞    |    |        |        |         |         |
|---------|---------|-----------|----|--------|--------|---------|---------|
| F-value | p-value |           | df | SS     | MS     | F-value | p-value |
| -0.0036 | 0.0000  | Period    | 0  | 0.0000 | 0.0000 | -0.0025 | 0.0000  |
| 0.0000  | 0.0000  | Subj(Seq) | 0  | 0.0000 | 0.0000 | 0.0022  | 0.0000  |
| -0.0047 | 0.0000  | Treatment | 0  | 0.0000 | 0.0000 | -0.0027 | -0.0092 |
| -0.0024 | 0.0000  | Carryover | 0  | 0.0000 | 0.0000 | 0.0045  | 0.0000  |
|         |         | Error     | 0  | 0.0000 | 0.0000 |         |         |
|         |         | Total     | 0  | 0.0001 |        |         |         |

|         |         | Cmax      |    |         |         |         |         |
|---------|---------|-----------|----|---------|---------|---------|---------|
| F-value | p-value |           | df | SS      | MS      | F-value | p-value |
| 0.0034  | 0.0000  | Period    | 0  | 0.0000  | 0.0000  | -0.5999 | 0.0008  |
| 0.0049  | 0.0000  | Subj(Seq) | 0  | 0.0000  | 0.0000  | -0.7092 | 0.0000  |
| -0.0018 | 0.0000  | Treatment | 0  | -0.0118 | -0.0118 | -1.3319 | 0.0523  |
| 0.0008  | 0.0000  | Carryover | 0  | 0.0000  | 0.0000  | -0.0027 | 0.0000  |
|         |         | Error     | 0  | 0.0118  | 0.0006  |         |         |
|         |         | Total     | 0  | -0.0001 |         |         |         |